


UPLFLN40X


Product Name

UPLFLN40X

Image



Dimension



Inquiry

Web Store

[Buy Now](#)

Major Application

Life Science

Last updated: Dec 10 2020

Specifications, design and accessories are subject to change without any notice or obligation on the part of the manufacturer.

UPLFLN40X

Magnification [X]	40
Numerical Aperture (NA)	0.75
Working Distance (WD) [mm]	0.51
Objective Field Number [mm]	26.5
Cover Glass Thickness [mm]	0.17
Immersion Medium	Air/Dry
Spring Loaded	Yes
Correction Collar	N/A
Remarks (Correction Collar)	
Iris	N/A
Correction Level of Chromatic Aberration	Semiapochromat (FL)
Parfocalizing Distance [mm]	45
Back Focal Plane (BFP) Position [mm]	-19.1
Type of Screw Thread	W20.32×0.706 (RMS)
Brightfield (Reflected)	N/A
Brightfield (Transmitted)	Excellent
Darkfield (Reflected)	N/A
Darkfield (Transmitted)	Good
DIC (Reflected)	N/A
DIC (Transmitted)	Excellent
Phase Contrast	N/A
Relief Contrast	N/A

Last updated: Dec 10 2020

Specifications, design and accessories are subject to change without any notice or obligation on the part of the manufacturer.

UPLFLN40X

Polarization	Good
Fluorescence (B, G Excitation)	Excellent
UV Fluorescence (at 365 nm)	Excellent
Multiphoton	N/A
TIRF	N/A
IR	N/A
WLI	N/A
Auto Focus	Yes
Product Number	N1478600
UPC Code	1-U2B527

Last updated: Dec 10 2020

Specifications, design and accessories are subject to change without any notice or obligation on the part of the manufacturer.